## BATH ACCESSORIES - UNIT MEDICINE CABINETS

### **MEDICINE CABINETS**

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- If possible, all medicine cabinets:
  - Be recessed into the wall (eliminates shadow from vanity light)
  - Have beveled edge mirror; no metal frame
- Rust-resistant steel body
- Adjustable steel shelves (no glass shelves)
- In ADA Units, install medicine cabinet on side wall and mirror over sink. Confirm heights with architect or building code for ADA compliance.
- Installation:
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### SAMPLE RECESSED MEDICINE CABINET (PREFERRED):

- 16" W x 26" H Recessed
- Beveled Edge Mirrored Medicine Cabinet
- Steel Body
- Metal Shelves

Manufacturer Number: 189813



#### SAMPLE SURFACE MOUNTED MEDICINE CABINET:

- 16" W x 26" H Surface Mount
- Steel Body
- Metal Shelves



## BATH ACCESSORIES - UNIT MIRRORS

### **MIRRORS**

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- In ADA Units, install mirror over sink, and medicine cabinet on side wall. Confirm heights with architect or building for ADA compliance.
- Wall-mounted mirror
- 24" x 36" Stainless Steel Channel Frame Mirror
- Frame: Stainless Steel, roll-formed one piece construction
- Glass: 1/4" thick, No. 1 quality, plate/float glass, silver coated, and hermetically sealed with a uniform copper plating
- Installation:
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

**Bobrick** 

- Framed Mirror 24" x 36"
- Stainless Steel

## BATH ACCESSORIES - UNIT TOILET TISSUE HOLDERS

### **TOILET TISSUE HOLDERS**

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- Surface mounted holder for standard core roll tissue
- Unit to be fabricated stainless steel
- Finish: Stainless steel, roller to be chrome-plated high impact resistant ABS plastic
- Installation:
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

Franklin Brass

 Stainless steel toilet paper holder concealed mount



## BATH ACCESSORIES - UNIT TOWEL BARS

### **TOWEL BARS**

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- Square towel bar to be fabricated of stainless steel
- Bar shall be square tubing and shall be held in receiver holes in support posts
- Installation
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

Franklin Brass

 Futura 3/4" x 18" chrome towel bar set

Manufacturer Number: 818725



#### **SAMPLE PRODUCT:**

Franklin Brass

 Futura 3/4" x 24" chrome towel bar set

Manufacturer Number: 818740



Franklin Brass

 Futura 3/4" x 24" century towel bar set

# BATH ACCESSORIES - UNIT ROBE HOOKS

### **ROBE HOOKS**

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- Fabricated of stainless steel
- Install in solid wood or use appropriate anchors to support weight
- Installation
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

Symmons

• Dia chrome robe hook

## BATH ACCESSORIES - UNIT SHOWER CURTAIN RODS

### SHOWER CURTAIN RODS

#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- Heavy duty with flanges fabricated from alloy stainless steel
- Tubing shall be 1" diameter
- Flanges shall be provided and have dimpled holes for exposed fasteners
- Installation
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

**HD** Supply

 60" chrome shower rod set



## BATH ACCESSORIES - UNIT GRAB BARS

### **GRAB BARS**


#### **GENERAL INFORMATION & REQUIRED DETAILS:**

- Grab bars with snap-on flange covers for concealed mounting shall be fabricated of stainless steel
- Tubing shall be 1-1/2" O.D. (outside diameter)
- End flanges shall have (2) 3/8" diameter mounting holes, center/intermediate supports shall have 2 keyhole slots for easy access
- All exposed surfaces to be satin stainless-steel finish
- All grab bar tubing to have peened, non-slip finish
- Provide in configurations and mounting heights as required by federal, state, and local accessibility codes and Fair Housing Guidelines
- Installation
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock



#### **SAMPLE PRODUCT:**

**Bobrick** 



• 1-1/2" diameter, 18" length

Manufacturer Number: B6806.99x18



#### **SAMPLE PRODUCT:**

**Bobrick** 

- Concealed mount grab bar non-slip grip
- 1-1/2" diameter, 24" length

Manufacturer Number: B6806.99x24



## BATH ACCESSORIES - UNIT BATHING FIXTURE SEATS

### **BATHING FIXTURE SEATS**

#### SHOWER GENERAL INFORMATION & REQUIRED DETAILS:

- "L-shaped" fold -up padded shower seat. To meet or exceed ADA requirements.
- Shall be of adequate strength to suport a load of 250 pounds and shall conform to the size and edge clearances as diagrammed in ADA.
- Tube: 18 gauge (0.48 in thick) type 304 stainless steel, 1" diameter and 1 ¼" square. Unitized all welded construction. Exposed surfaces are satin finish. Edges and Corners are radius-ed and burr free.
- Flange: 3/16" type 304 stainless steel. Exposed surfaces have satin finish. Edges and Corners are radius-ed and burr free.
- Bracket: 16 gauge (0.06 in thick) type 304 stainless steel. Exposed surfaces to have satin finish. Edges and corners are radius-ed and burr free.
- Bracket: 16 gauge (0.06 in thick) type 304 stainless steel. Exposed surfaces to have satin finish. Edges and corners are radius-ed and burr free.
- Spring: Stainless steel type 304, O.D. 27/32" coils x 2 ¼" body length x .085" wire diameter.
- Installation
  - Install per manufacturer's instructions
  - Install on wood stud or add blocking; do not install directly to sheetrock

#### **BATHTUB GENERAL INFORMATION & REQUIRED DETAILS:**

- The bathtub seat meets or exceeds ADA requirements
- If a permanent bathtub seat is not provided, a removable seat is required
- Top of Seat: Between 17" minimum and 19" maximum above the bathroom finish floor
- Seat Depth: Between 15" minimum and 16" maximum



## BATH ACCESSORIES - UNIT BATHING FIXTURE SEATS CONT.



### **SAMPLE SHOWER SEAT:** Bobrick

• Shower seat 32" ivory

Manufacturer Number: 5181



#### **SAMPLE BATHTUB SEAT:**

Freedom Showers

- Portable ADA bathtub seat
- 26.5" W x 15" D
- Legs adjustable between 16" - 17.5"
- Solid phenolic white

Manufacturer Number: APFSHPQ-265150PWS